



FABRIKA REZNOG ALATA  
ČAČAK - SRBIJA











Katalog proizvoda









ALATI ZA BUŠENJE I  
OBRADU RUPE








2012.



NAZIV	STANDARD	K.Br.	SLIKA	DIMENZIJA
<b>HSS* HSS-EC<sub>o</sub> *TiN</b>				
<b>ZABUŠIVAČI</b> 60°, oblik desnorezni, HSS	JUS K.D3.061 DIN 333	2.001		0.5 - 12.3
<b>ZABUŠIVAČI</b> 60°/120° oblik desnorezni, HSS	JUS K.D3.062 DIN 333	2.002		1.0 - 10.0
<b>ZABUŠIVAČI</b> 60°, oblik desnorezni, HSS	JUS K.D3.061 DIN 333	2.003		0.5 - 12.5
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom vrlo kratke desnorezne, TIP N	JUS K.D3.019 DIN 1897	2.015		1.0 - 40.0
<b>SPIRALNE BURGIJE</b> sa aljkastom drškom vrlo kratke levorezne, TIP N	JUS K.D3.019 DIN 1897	2.016		1.0 - 40.0
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom kratke desnorezne, TIP N	JUS K.D3.020 DIN 338	2.017		0.75 - 20.0
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom kratke desnorezne, TIP T	JUS K. D3.020 DIN 338	2.018		0.75 - 20.0

<b>SPIRALNE BURGIJE</b> sa valjkastom drškom kratk desnarezne, HSS TIP M	JUS K.D3.020 DIN 338	2.019		0.75 - 20.0
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom duge desnarezne, HSS TIP N	JUS K.D3.02 DIN 340	2.022		1.0 - 31.5
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom duge desnarezne, HSS.E TIP T	JUS K.D3.021 DIN 340	2.023		1.0 - 31.5
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom duge desnarezne, HSS TIP M	JUS K.D3.021 DIN 340	2.024		1.0 - 31.5
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom desnarezne za čelike do 1000 daN/mm <sup>2</sup> TIP GMS	JUS K.D3.021 DIN 340	2.086		2.0 - 20.0
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom desnarezne, HSS TIP GM	JUS K.D3.021 DIN 340	2.025		2.0 - 20.0
<b>SPIRALNE BURGIJE</b> sa valjkastom drškom extra duge desnarezne, HSS.E TIP N	JUS K.D3.045 DIN 1869	2.026		2.0 - 10
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom desnarezne, HSS, TIP N	JUS K.D3.022 DIN 345	2.050		3.0 - 100

<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom desnorezne, HSS.E, TIP T	JUS K.D3.022 DIN 345	2.051		30 - 100
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom, desnorezne, HSS, TIP M	JUS K.D3.022 DIN 345	2.052		3.0 - 100
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom, ojačanom desnorezne, HSS, TIP N	JUS K.D3.023 DIN 346	2.053		12.0 - 76.0
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom, za manganske čelike, TIP TS	JUS K.D3.023 DIN 346	2.088		5.0 - 50.0
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom, duge desnorezne, HSS, TIP N	JUS K. D3.024 DIN 341	2.054		5.0 - 50.0
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom, desnorezne, HSS, TIP GM	JUS K.D3.024 DIN 341	2.055		5.0 - 50.0
<b>SPIRALNE BURGIJE</b> sa morze-koničnom drškom, extra duge desnorezne, HSS.E TIP N	JUS K. D3.046 DIN 1870	2.056		8.0 - 50.0
<b>SPIRALNE BURGIJE KONIČNE</b> sa valjkastom drškom, za čivije, konus 1 : 50 desnorezne, HSS, TIP N	DIN 1898	2.070		1.0 - 20.0
<b>SPIRALNE BURGIJE KONIČNE</b> sa morze-koničnom drškom, za čivije, konus 1 : 50 desnorezne, HSS, TIP N	DIN 1898	2.071		5.0 - 50.0

<p><b>SPIRALNE BURGIJE STEPENASTE</b> sa valjkastom drškom, za fini upust 90<sup>0</sup>, po DIN-u 74 desnorezne, HSS</p>	DIN 8374	2.080		3.2 - 10.5 6.0 - 19.0
<p><b>SPIRALNE BURGIJE STEPENASTE</b> sa morze-koničnom drškom za sred. upust 90<sup>0</sup>, poDIN-u 74 desnorezne,HSS</p>	DIN 8375	2.081		5.5 - 11.0 11.0 - 21.5
<p><b>SPIRALNE BURGIJE STEPENASTE</b> sa valjkastom drškom, za srednji upust 180<sup>0</sup>, po DIN-u 74, desnorezne, HSS</p>	DIN 8376	2.082		3.4 - 11.0 6.0 - 18.0
<p><b>SPIRALNE BURGIJE STEPENASTE</b> sa morze-koničnom drškom za srednji upust 180<sup>0</sup> po DIN-u 74, desnorezne,HSS</p>	DIN 8377	2.083		5.5 - 22.0 10.0 - 33.0
<p><b>SPIRALNE BURGIJE STEPENASTE</b> sa valjkastom drškom, za upust 90<sup>0</sup>, za navojnu rupu, desnorezne,HSS</p>	DIN 8378	2.084		2.5 - 10.2 3.4 - 13.5
<p><b>SPIRALNE BURGIJE STEPENASTE</b> sa morze-koničnom drškom, za upust 90<sup>0</sup>, za navojnu rupu, desnorezne, HSS</p>	DIN 8379	2.085		6.8 - 17.5 9.0 - 22.0
<p><b>KONIČNE BURGIJE</b> sa valjkastom drškom, za izradu otvora u materijalima manjih debljina,desnorezne, HSS</p>		2.100		3.4 - 46.0 14.0 - 60.0

<p><b>BURGIJE STEPENASTE</b> sa valjkastom drškom za izradu otvora u materijalima debljine do 10 mm, oblik ABC desnoredne, HSS</p>		2.101		5.5 - 8.0 35.5 - 38.0
<p><b>NOSAČI PLJOSNATIH BURGIJA</b> sa morze-koničnom drškom, kratki</p>		2.111		25 - 140
<p><b>NOŽEVI ZA PLJOSNATE BURGIJE</b> za dudoke otvore desnoredni, HSS</p>		2.114		25 - 140
<p><b>SPIRALNI UPUŠTAČI</b> sa valjkastom drškom desnoredni, HSS</p>	JUS K.D3.300 DIN 344	2.200		5.5 - 20.0
<p><b>SPIRALNI UPUŠTAČI</b> sa morze-koničnom drškom, desnoredni, HSS</p>	JUS K.D3.301 DIN 343	2.201		9.0 - 50.0
<p><b>SPIRALNI UPUŠTAČI</b> sa morze-koničnom drškom za zakovice sa upuštenom glavom desnoredni, HSS</p>	JUS K.D3.302 DIN 1863	2.202		14.5 - 51.0
<p><b>ČEONI UPUŠTAČI</b> sa morze-koničnom drškom, sa izmenljivom volicom, za upuste prema DIN-u 74 desnoredni, HSS</p>	JUS K.D3.311 DIN 375	2.221		15.0 - 61.0
<p><b>KONIČNI UPUŠTAČI 60°</b> oblik A, B, C, D desnoredni, HSS</p>	JUS K.D3.321 DIN 334	2.230		8.0 - 80.0
<p><b>KONIČNI UPUŠTAČI 90°</b> oblik A, B, C, D, desnoredni, HSS</p>	JUS K. D3.323 DIN 335	2.231		8.0 - 80.0

<p><b>KONIČNI UPUŠTAČI</b> 120° oblik A, B desnorezni, HSS</p>	<p>JUS K.D3.326 DIN 347</p>	<p>2.232</p>		<p>16.0 - 40.0</p>
<p><b>MAŠINSKI NASADNI UPUŠTAČI</b> sa koničnom rupom 1:30 desnorezni, HSS</p>	<p>JUS K.D3.340 DIN 222</p>	<p>2.240</p>		<p>25.0 - 100.0</p>
<p><b>KONIČNI NASADNI UPUŠTAČI</b> za ventiliska sedišta 15°/30° desnorezni, HSS</p>		<p>2.250</p>		<p>24.0 - 60.0</p>
<p><b>KONIČNI NASADNI UPUŠTAČI</b> za ventiliska sedišta 45° desnorezni, HSS</p>		<p>2.251</p>		<p>24.0 - 60.0</p>
<p><b>KONIČNI NASADNI UPUŠTAČI</b> za ventiliska sedišta 75° desnorezni, HSS</p>		<p>2.252</p>		<p>28.0 - 58.0</p>
<p><b>KONIČNI NASADNI UPUŠTAČI</b> za ventiliska sedišta 15°, 30°, 45° desnorezni, HSS</p>		<p>2.253</p>		<p>32.0 - 58.0</p>
<p><b>ELASTIČNI UPUŠTAČI</b> sa morze-koničnom drškom oblik B, za obaranje ivica na nepristupačnim mestima, desnorezni, HSS</p>		<p>2.261</p>		<p>7.0 - 38.0</p>
<p><b>KONIČNI UPUŠTAČI</b> sa valjkastom drškom oblik A, sa poprečnom rupom za obaranje ivica otvora sa uglom vrha 60° i 90° desnorezni, HSS</p>		<p>2.262</p>		<p>10.0 - 64.0</p>

<p><b>RUČNI RAZVRTAČI</b> sa valjkastom drškom sa pravim i spiralnim `lebovima desnorezni, HSS</p>	<p>JUS K.D3.121 DIN 206</p>	<p>2.300</p>		<p>1.5 - 50.0</p>
<p><b>MAŠINSKI RAZVRTAČI</b> sa morze-koničnom drškom sa pravim i spiralnim `lebovima desnorezni, HSS</p>	<p>JUS K.D3.132 DIN 208</p>	<p>2.301</p>		<p>5.0 - 50.0</p>
<p><b>MAŠINSKI RAZVRTAČI</b> sa valjkastom drškom sa pravim i spiralnim `lebovima desnorezni, HSS</p>	<p>JUS K.D3.131 DIN 212</p>	<p>2.302</p>		<p>1.4 - 20.0</p>
<p><b>RUČNI RAZVRTAČI</b> sa valjkastom drškom sa pomo}nim no`evima desnorezni, HSS</p>		<p>2.304</p>		<p>7.0 - 100.0</p>
<p><b>KONIČNI RAZVRTAČI</b> sa valjkastom drškom sa pravim i spiralnim `lebovima za NPT navoj, konus 1 : 16 desnorezni, HSS</p>		<p>2.307</p>		<p>1/8" - 2"</p>
<p><b>KONIČNI RAZVRTAČI</b> sa valjkastom drškom sa pravim i spiralnim `lebovima, za konus 1:50 desnorezni, HSS</p>	<p>JUS K.D3.180 DIN 9</p>	<p>2.308</p>		<p>2.0 - 50.0</p>
<p><b>MAŠINSKI RAZVRTAČI</b> sa morze-konusnom drškom za rupe zakovica, desnorezni, HSS</p>	<p>JUS K.D3.201 DIN 311</p>	<p>2.309</p>		<p>6.4 - 50.0</p>



<p><b>KONIČNI RAZVRTAČI</b>  sa valjkastom drškom oblik A, B, C za morze-konus desnorezni, HSS</p>	<p>DIN 204</p>	<p>2.310</p>		<p>MK 0 - MK 6</p>
<p><b>KONIČNI RAZVRTAČI</b>  sa morze-konusnom drškom, oblik A, B, C za morze-konus desnorezni, HSS</p>	<p>DIN 1895</p>	<p>2.311</p>		<p>MK 0 - MK 6</p>
<p><b>MAŠINSKI NASADNI RAZVRTAČI</b>  sa koničnom rupom 1:30, sa pravim i spiralnim, `lebovima desnorezni, HSS</p>	<p>JUS K. D3.170  DIN 219</p>	<p>2.312</p>		